

About us:



[Company name] OKAWA MEXICANA S.A de C.V. (OMC)

[Start operation] Since February 2014

【 H e a d c o u n t 】 90 (As of 2023 Aug., Includes 4 Japanese Expats)

[Main process] Cold forging from wire coil

[Other process] Machining, Rolling, Plating (Zn)

[Main product] Metal part for automotive industry



LOCATION IRAPUATO GTO.


Site: 69,071.95 m² (Building:7,500 m²)







<u>ANNUAL SALES HISTORY (USD)</u>



Annual Manufacturing Volume Result (pcs)

2015	2016	2017	2018	2019	2020	2021	2022	2023
23,317,487	79,438,582	90,132,011	91,369,061	86,992,414	61,710,113	70,349,476	67,964,950	51,793,864

FORGING TECHNOLOGY






- 7 stages PF Tonnage: 140t, Product size: MAX φ25mm/ L:40mm
- 6 stages PF Tonnage: 300t, Product size: MAX \$\phi 35mm/L:100mm

Cost & Time Benefits

- Almost no waste of material than cutting
- High cycle time (60~100 pcs/ minute)
- High precision by mold consistently

THIS IS OUR MASTERPIECE
ONLY BY COLD FORGING PROCESS









More precision and complex shape

- CNC 2 turrets and spindles lathe
- CNC single turret and spindle lathe
- Multi-spindle rotary lathe

Facilities and experience for a variety of processes to fulfill customer's requirement for finish product.









Thread for fastening

- 2 dice rolling machine
- 3 dice rolling machine

Facilities and experience for a variety of processes to fulfill

customer's requirement for finish product.









Added value of anticorrosion


- Zinc + trivalent chromate coating
- Barrel type for small product
- Furnace to remove hydrogen embrittlement

Facilities and experience for a variety of processes to fulfill customer's requirement for finish product.





PRODUCT PORTAFOLIO AND FEASIBILITY



(1) Brake Hose End Fittings



Fitting for connection between brake hose and caliper

Process : PF→Machining→Plating→Inspection

BH Parts Production Volume
18,891,767 pcs / As of FY2O22

(2) Housing for Air Bag



Housing for inflator unit

Process : PF→Machining

(3) Plug for CVT system



Plug to fasten vane pump

Process : PF→Machining→Rolling →Inspection



PRODUCT PORTAFOLIO AND FEASIBILITY



(4) Rack guide screw



Component for steering unit

Process : PF→Machining→Rolling →Inspection

(5) Other products manufactured in japan



Various products for OCV, Transmission, Air conditioning compressors, Charging system for electric vehicle and so on.



OUR FEASIBILITY



Material: Carbon steel, Copper

Stainless and Aluminum are under development. We are
 pleased to challenge development based on your request.

Shape: Pierced or not-pierced hole of various shape, Flange, drawn nozzle inside, Thread etc. Cylindrical product is favorable.

Size: Diameter... φ10~35mm / Length...15~100mm

** Real feasibility may vary depending on the specific dimension and size of a certain product. Please feel free to ask us.

CERTIFICATE

OKAWA

Date of certification: 24th Apr. 2017

CTPAT

Date of expiration: On process

ISO 14001:2015

Date of certification: 5th Apr. 2023

Date of expiration: 4th Apr. 2026



1300 Pennsylvania Ave. NW, Rm. 2.2A Washington, DC 20229



Date: 04/24/2017 Okawa Mexicana, S.A. de C.V.

Río Ota No. Ext. 981, Parque Tecnoindustrial Castro del Río, Irapuato, Guanajuato, México,

IRAPUATO, Guanajuato 36810

Okawa Mexicana, S.A. de C.V.

On Behalf of U.S. Customs and Border Protection(CBP), I am pleased to welcome Okawa Mexicana, S.A. de C.V. as a certified partner in the Customs-Trade Partnership Against Terrorism (C-TPAT) program. By participating with CBP, you are making a vital contribution to help us secure our borders and ensure the continued free flow of international trade.

Your role as a C-TPAT partner is to continue to ensure that appropriate security measures based upon risk analysis and consistent with C-TPAT security criteria, are maintained in a documented and verifiable format throughout your international supply chains. C-TPAT partners must also have a documented and verifiable process for the selection of business partners and ensure that these business partners develop security procedures consistent with C-TPAT security criteria.

To meet these obligations and the security standards established under the C-TPAT program, it is necessary that a security self-assessment process be developed and implemented. Additionally, these assessments should identify and institute any enhancements or updates to your supply chain program. All aspects of the security selfassessment must be verifiable, documented, reviewed on a regular basis and updated as warranted.

CBP's commitment to you, consistent with our goals of security and facilitation of trade moving into the United States, is to provide a secure entry process marked by the efficient release of goods and prompt resolution of CBP issues. At this time, CBP will proceed to provide Okawa Mexicana, S.A. de C.V. with C-TPAT benefits which may include reduced cargo exams, training and sharing of information.

Again, I welcome Okawa Mexicana, S.A. de C.V. as a certified C-TPAT partner, and I thank you in advance for your support in this evolutionary and cooperative effort to build a more



IATF 16949:2016

Date of certification: 10th Feb.2023



OKAWA



Headcount: 371 (As of 2023 Apr.)

Facility: Parts Former x 21

Bolt Former x 4

Machining Machine x 77

Brazing line x 4

QMS: ISO 9001

Site: 45,000 m² (Building: 8,600 m²)

Customer: Japan, USA, China, Thailand, ASEAN etc.

Main Product: • Brake Hose End Fittings

L, Female Fitting (Integrated type/Brazing type)

Ь, Banjo, Male, Center, Block, etc.

Fastener Part

Objective: ① Intensive production of small size and large volume parts.

② R&D (e.g. Cold forming technology, machinery development)

③ Training base to hand down expertise and skills for other global sites.

BH Parts Production Volume: 83,475,284 pcs / As of FY2022

All Rights Reserved, Copyright 2010-2018 © Okawa Screw Manufacturing Co., Ltd.

Okawa Screw Manufacturing Co., Ltd (JAPAN)






R&D Department

Headcount: 19
Process design development
Machinery Development
Cold Forming Technology
Development



Yokohama Plant

Headcount: 24
Machining Machine x 38
Logistic Center
Site: 2,122 m²



HR Dept.

Thai Okawa Co., Ltd (THAILAND)





Start operation: 1989 Feb

Headcount: 496

(As of 2023 Sep., Includes 6 Japanese Expats)

Facility: Parts Former x 11

Machining Machine x 38

Brazing line x 5

QMS: IATF 16949

Site: 70,528 m² (Building: 17,243 m²)

Customer: Thailand, USA, EU, China, India, ASEAN Japan etc.

Main Product: • Brake Hose End Fittings

Ly Female Fitting (Integrated type/Brazing type)

L, Banjo, Center, Block, etc.

Fastener Part

Other safety parts

Objective: ① Expansion of global coverage. (Center of Asia)

② Cost efficient production in a low cost country.

③ Mass and multiple production.

BH Parts Production Volume: 93,116,364 pcs / As of FY2022





Gracias ありがとうございました Thank you